




WELDED or SEAMLESS PIPE TO ASTM A106/GRADE B

Dimensions and mass

NOMINAL PIPE SIZE mm	OUTSIDE DIAMETER mm	WALL THICKNESS mm	MASS kg/m	IDENTIFICATION		
				API STD	STANDARD XS XXS	SCHEDULE NUMBER
6	10,3	1,73	0,36	5L	STD	40
		2,41	0,46	5L	XS	80
8	13,7	2,24	0,80		STD	40
		3,02	3,02		XS	80
10	17,1	2,31	0,85	5L	STD	40
		3,20	1,10	5L	XS	80
15	21,3	2,77	1,26	5L	STD	40
		3,73	1,62	5L	XS	80
		4,76	1,95			160
		7,47	2,54	5L	XXS	
20	26,7	2,87	1,68	5L	STD	40
		3,91	2,19	5L	XS	80
		5,56	2,89			160
		7,82	3,63	5L	XXS	
25	33,4	3,38	2,50	5L	STD	40
		4,55	3,23	5L	XS	80
		6,35	4,23			160
		9,09	5,45	5L	XXS	
32	42,2	3,56	3,38	5L	STD	40
		4,85	4,46	5L	XS	80
		6,35	5,60			160
		9,70	7,75	5L	XXS	
40	48,3	3,68	4,05	5L	STD	40
		5,08	5,40	5L	XS	80
		7,14	7,23			160
		10,16	9,54	5L	XXS	
50	60,3	3,91	5,43	5L	STD	40
		5,54	7,47	5L	XS	80
		8,74	11,10			160
		11,07	13,44	5L	XXS	
65	73,0	5,16	8,62	5L	STD	40
		7,01	11,40	5L	XS	80
		9,52	14,90			160
		14,02	20,39	5L	XXS	
80	88,9	3,18	6,71	5L		
		3,96	8,30	5L		
		4,78	9,87	5L		
		5,49	11,28	5L	STD	40
		6,35	12,92	5L		
		7,14	14,39	5L		
		7,62	15,25	5L	XS	80
		11,13	21,30			160
		15,24	27,65	5L	XXS	
100	114,3	3,18	8,69	5L 5LX		
		3,96	10,79	5L 5LX		
		4,78	12,86	5L 5LX		
		5,56	14,88	5L 5LX		
		6,02	16,06	5L 5LX	STD	40
		6,35	16,89	5L 5LX		
		7,14	18,86	5L 5LX		
		7,29	20,81	5L 5LX		
		8,56	22,29	5L 5LX	XS	80
		11,13	28,25	5L 5LX		120
		13,49	33,51	5L 5LX		160
		17,12	40,99	5L 5LX	XXS	



NOMINAL PIPE SIZE mm	OUTSIDE DIAMETER mm	WALL THICKNESS mm	MASS kg/m	IDENTIFICATION				
				API STD	STANDARD XS XXS	SCHEDULE NUMBER		
125	141,3	3,69	13,42	5L	STD	40		
		4,78	16,07	5L				
		5,56	18,59	5L				
		6,55	21,76	5L				
		7,14	23,62	5L				
		7,92	26,07	5L				
		8,74	28,51	5L	XS	80		
		9,52	30,92	5L				
		12,70	40,24	5L				
		15,88	49,05	5L	XXS	120		
		19,05	57,37	5L				
		150	168,3	4,78	19,18	5L 5LX	STD	40
				5,56	22,28	5L 5LX		
6,35	25,33			5L 5LX				
7,11	28,23			5L 5LX				
7,92	31,36			5L 5LX				
8,74	34,32			5L 5LX				
9,52	37,25			5L 5LX	XS	80		
10,97	42,53			5L 5LX				
14,27	54,20			5L 5LX				
18,26	67,47			5L 5LX	XXS	120		
21,95	79,11			5L				
200	219,1			4,78	25,15	5L 5LX	STD	40
				5,16	27,19	5LX		
		5,56	29,23	5L 5LX				
		6,35	33,28	5L 5LX				
		7,04	36,76	5L 5LX				
		7,92	41,28	5L 5LX				
		8,18	42,49	5L 5LX				
		8,74	45,24	5L 5LX				
		9,52	49,17	5L 5LX				
		10,31	53,07		XS	60		
		11,13	56,94	5L 5LX				
		12,70	64,57	5L 5LX				
		15,09	75,79		XXS	80		
		18,26	90,32	5L 5LX				
		20,62	100,89					
		22,22	107,78	5L	XXS	120		
		23,01	111,18					
		250	273,0	4,78			31,48	5L 5LX
5,16	34,05			5LX				
5,58	36,61			5L 5LX				
6,35	41,73			5L 5LX				
7,09	46,43			5L 5LX				
7,80	50,96			5L 5LX				
8,74	56,85			5L 5LX				
9,27	60,24			5L 5LX				
11,13	71,72			5L 5LX				
12,70	81,46			5L 5LX	XS	60		
15,09	95,84							
18,26	114,59							
21,44	132,85				XXS	80		
25,43	154,97							
28,58	172,11							



WELDED or SEAMLESS PIPE TO ASTM A106/GRADE B

Dimensions and mass

NOMINAL PIPE SIZE mm	OUTSIDE DIAMETER mm	WALL THICKNESS mm	MASS kg/m	IDENTIFICATION		
				API STD	STANDARD XS XXS	SCHEDULE NUMBER
300	323,9	5,16	40,51	5LX		
		5,56	43,57	5L 5LX		
		6,35	49,68	5L 5LX		20
		7,14	55,73	5L 5LX		
		7,92	61,78	5L 5LX		
		8,38	65,14	5L 5LX		30
		8,74	67,79	5L 5LX		
		9,52	73,76	5L 5LX	STD	
		10,31	79,71	5LX		40
		11,13	85,62	5L 5LX		
		12,70	97,36	5L 5LX	XS	
		14,27	108,97	5L 5LX		60
		17,48	131,81	5L 5LX		80
		21,44	159,67			100
		25,40	186,75		XXS	120
		28,58	207,87			140
		33,32	238,60			160
350	355,6	5,33	46,03	5LX		
		5,56	47,92	5LX		
		6,35	54,63	5L 5LX		10
		7,14	61,33	5L 5LX		
		7,92	67,98	5L 5LX		20
		8,74	74,62	5L 5LX		
		9,52	81,21	5L 5LX	STD	30
		11,13	94,31	5L 5LX		40
		11,91	100,87	5LX	XS	
		12,70	107,28	5L 5LX		
		15,09	126,51			60
		19,05	157,94	5L 5LX		80
		23,83	194,64			100
		27,79	224,36			120
		31,75	253,32			140
		35,71	281,49			160
		50,80	381,46			
		53,98	401,08			
		55,88	412,62			
		63,50	456,95			
400	406,4	5,58	54,87	5LX		
		6,35	62,58	5L 5LX		10
		7,14	70,27	5L 5LX		
		7,92	77,92	5L 5LX		20
		8,74	85,54	5L 5LX		
		9,52	93,13	5L 5LX	STD	30
		11,13	108,22	5L 5LX		
		11,91	115,71	5LX		
		12,70	123,18	5L 5LX	XS	40
		16,66	160,04			60
		21,44	203,26			80
		26,19	245,34			100
		30,96	286,33			120
		36,53	332,72			140
		40,49	364,94			160



WELDED or SEAMLESS PIPE TO ASTM A106/GRADE B

Dimensions and mass



NOMINAL PIPE SIZE mm	OUTSIDE DIAMETER mm	WALL THICKNESS mm	MASS kg/m	IDENTIFICATION		
				API STD	STANDARD XS XXS	SCHEDULE NUMBER
450	457,2	6,35	70,53	5L 5LX	STD	10
		7,14	79,20	5L 5LX		20
		7,92	87,85	5L 5LX		
		8,74	96,47	5L 5LX		
		9,52	105,05	5L 5LX		30
		10,31	113,61	5LX		
		11,13	122,12	5L 5LX		
		11,91	130,62	5LX	XS	40
		12,70	139,07	5L 5LX		
		14,28	155,90	5L 5LX		
		19,05	205,62	5L 5LX		60
		23,83	254,24			80
		29,36	309,55			100
		34,92	363,33			120
		39,67	408,21			140
		45,24	459,18			160
500	508,0	6,35	78,47	5L 5LX	STD	10
		7,14	88,15	5L 5LX		20
		7,92	97,79	5L 5LX		
		8,74	107,39	5L 5LX		
		9,52	116,97	5L 5LX		30
		10,31	126,51	5LX		
		11,13	136,04	5L 5LX		
		11,91	145,52	5LX	XS	40
		12,70	154,97	5L 5LX		60
		15,09	183,14			80
		20,62	247,79	5L 5LX		100
		26,19	310,91			120
		32,54	381,20			140
		38,10	441,06			160
		44,45	507,63			
		50,01	564,24			
550	558,8	6,35	86,42	5L 5LX	STD	10
		7,14	97,09	5L 5LX		20
		7,92	107,72	5L 5LX		
		8,74	118,33	5L 5LX		
		9,52	128,89	5L 5LX		30
		10,31	139,43	5LX		
		11,13	149,94	5L 5LX		
		11,91	160,41	5LX	XS	40
		12,70	170,86	5L 5LX		60
		15,88	212,34	5L 5LX		80
		22,22	293,80			100
		28,58	373,27			120
		34,92	450,75			140
		41,28	526,24			160
		47,62	599,76			
		53,98	671,28			



WELDED or SEAMLESS PIPE TO ASTM A106/GRADE B

Dimensions and mass

NOMINAL PIPE SIZE mm	OUTSIDE DIAMETER mm	WALL THICKNESS mm	MASS kg/m	IDENTIFICATION		
				API STD	STANDARD XS XXS	SCHEDULE NUMBER
600	609,6	6,35	94,37	5L 5LX	STD	10
		7,14	106,03	5L 5LX		
		7,92	117,66	5L 5LX		
		8,74	129,25	5L 5LX		
		9,52	140,81	5L 5LX		20
		10,31	152,35	5LX		
		11,13	163,85	5L 5LX		
		11,91	175,52	5LX		
		12,70	186,75	5L 5LX	XS	30
		14,27	209,54	5L 5LX		40
		17,48	254,74	5L 5LX		60
		24,61	354,62			80
		30,96	441,30			100
		38,89	546,84			120
		46,02	639,18			140
		52,37	719,16			160
		59,54	806,74			
650	660,4	6,35	102,31	5L 5LX	XS	10
		7,14	114,96	5L 5LX		
		7,92	127,58	5L 5LX		
		8,74	140,17	5L 5LX		
		9,52	152,73	5L 5LX		
		10,31	165,26	5LX		
		11,13	177,75	5L 5LX		
		11,91	190,22	5LX		
		12,70	202,65	5L 5LX	20	
		14,27	227,43	5L 5LX		
<i>Contact our sales personnel at a branch close to you as per our branch listing on page 48</i>						

*Contact our sales personnel at
a branch close to you as per our branch listing
on page 48*